



### Applications :

Used as a protection to prevent saplings from getting damaged by cattle, etc.

### SPECIFICATIONS :

I 16

Length (m.)	1.00
Width (m.)	0.61 (+ 0.03 m.)
Form	Lay Flat
Aperture Shape	Diamond
Weight (gms/m <sup>2</sup> )	910 (+90 gms)
Aperture Size (mm x mm)	18 x 15 (± 2 mm)
Suitable for outdoor use	YES
Recommended Usage	Everywhere except Atmosphere containing Sulphur & Halogens.

Aug. '99

### PACKING DETAILS


Pieces per package	One
Type of packing	Hessian Cloth

### Volume of standard package

CFT/Package	0.74
Cubic Metre/Package	0.021

### NOTE :

The company has a procedure of constantly improving the products based on research & feedback. Therefore we reserve the right to change the specifications without prior intimation.



**Applications :**

A light weight, non corrosive, hexagonal mesh with aesthetic appeal for garden, outdoor applications. Attractive pattern, easy to install and environment friendly.

**SPECIFICATIONS :**

I 15

Length (m.)	25.00
Width (m.)	2.00 (+ 0.05 m.)
Form	Sheet
Aperture Shape	Hexagonal
Weight (gms/m <sup>2</sup> )	<del>520 (+52 gms)</del> 450 gsm
Aperture Size (mm x mm)	28 x 28 (± 3 mm)
Suitable for outdoor use	YES
Recommended Usage	Everywhere except Atmosphere containing Sulphur & Halogens.

Aug. '99

**PACKING DETAILS**

Rolls per package	One
Type of packing	Hessian Cloth

**Volume of standard package**

CFT/Package	12.45
Cubic Metre/Package	0.353

**NOTE :**

The company has a procedure of constantly improving the products based on research & feedback. Therefore we reserve the right to change the specifications without prior intimation.



**Applications :**

A light weight, non corrosive, diamond pattern mesh with a pleasing appearance for garden/outdoor applications. Easy to install, economical and environment friendly.

**SPECIFICATIONS :**

I 13

Length (m.)	25.00
Width (m.)	1.20 (+ 0.05 m.)
Form	Sheet
Aperture Shape	Hexagonal
Weight (gms/m <sup>2</sup> )	475 (+ 48 gms)
Aperture Size (mm x mm)	42 x 42 (± 4 mm)
Suitable for outdoor Application	YES
Recommended use	Everywhere except Atmosphere containing Sulphur & Halogens.

Aug. 99


**STANDARD PACKING**

No. of Rolls per package	One
Type of packing	Hessian Cloth/ Polyethylene Bag

**NOTE :**

The company has a procedure of constantly improving the products based on research & feedback. Therefore we reserve the right to change the specifications without prior intimation.





### Applications :

A healthy way to keep your home free from mosquitoes round the year. At the same time allows free flow of air. Can be fitted on windows and doors using hook and loop tapes.

### SPECIFICATIONS :

C 01/C 02

Length (m.)	25.00
Width (m.)	1.23 (+ 0.03 m.)/ 0.915 (+ 0.02 m.)
Form	Sheet Form
Aperture Shape	Diamond
Weight (gms/m <sup>2</sup> )	260 (+ 26 gms)
Aperture Count (meshes in cms)	10 in 10 cms (± 1 mesh)
Suitable for outdoor use	YES
Recommended Usage	Everywhere except Atmosphere containing Sulphur & Halogens.

Aug. '99

### PACKING DETAILS


Roll per package	One
Type of packing	Polyethylene Bag

### Volume of standard package

CFT/Package	2.35/1.75 (for 1.23 & 0.9)
Cubic Metre/Package	0.067/0.05

### NOTE :

The company has a procedure of constantly improving the products based on research & feedback. Therefore we reserve the right to change the specifications without prior intimation.



**Applications :**

A light weight, non corrosive, diamond pattern mesh with a pleasing appearance for garden/outdoor applications. Easy to install, economical and environment friendly.

**SPECIFICATIONS :**

I 14

Length (m.)	10.00	
Width (m.)	1.20 (+ 0.05 m.)	
Form	Sheet	
Aperture Shape	Diamond	
Weight (gms/m <sup>2</sup> )	475 (+48 gms)	Aug '99
Aperture Size (mm x mm)	42 x 42 (± 4 mm)	
Suitable for outdoor use	YES	
Recommended Usage	Everywhere except Sulphur & Halogen containing Atmosphere.	

**PACKING DETAILS**

Roll per package	One
Type of packing	Polyethylene Bag

**Volume of standard package**

CFT/Package	4.25
Cubic Metre/Package	0.120

**NOTE :**

The company has a procedure of constantly improving the products based on research & feedback. Therefore we reserve the right to change the specifications without prior intimation.



**Applications :**

Used to prevent cracks on concrete surfaces, reinforcement of creed, reinforcement of cold water proofing systems etc.

**SPECIFICATIONS :**

I 19

Length (m.)	25.00
Width (m.)	0.90 (+ 0.02 m.)
Form	Sheet
Aperture Shape	Hexagonal
Weight (gms/m <sup>2</sup> )	105 (+25 gms)
Aperture Size (mm x mm)	20 x18 (± 2 mm)
Thickness at joint (mm) (mm x mm)	1.65 (± 0.15 mm)
Suitable for outdoor use	YES

Aug. '99

**PACKING DETAILS**

Rolls per package	Five
Type of packing	Woven Sack

**Volume of standard package**

CFT/Package	8
Cubic Metre/Package	0.227

**NOTE :**

The company has a procedure of constantly improving the products based on research & feedback. Therefore we reserve the right to change the specifications without prior intimation.





**Applications :**

Used to prevent cracks on concrete surfaces, reinforcement of creed, reinforcement of cold water proofing systems etc.

**SPECIFICATIONS :**

I 18

Length (m.)	25.00
Width (m.)	1.00 (+ 0.05 m.)
Form	Sheet
Aperture Shape	Diamond
Weight (gms/m <sup>2</sup> )	105 (+25 gms)
Aperture Size (mm x mm)	9 x 9 (± 2 mm)
Thickness at joint (mm) (mm x mm)	1.30 (± 0.15 mm)
Suitable for outdoor use	YES

Aug. '99

**PACKING DETAILS**


Rolls per package	Five
Type of packing	Woven Sack

**Volume of standard package**

CFT/Package	8.60
Cubic Metre/Package	0.244

**NOTE :**

The company has a procedure of constantly improving the products based on research & feedback. Therefore we reserve the right to change the specifications without prior intimation.



**Applications :**

A light weight, non corrosive, diamond pattern mesh with a pleasing appearance for garden/outdoor applications. Easy to install, economical and environment friendly.

**SPECIFICATIONS :**

I 14

Length (m.)	10.00	
Width (m.)	1.20 (+ 0.05 m.)	
Form	Sheet	
Aperture Shape	Diamond	
Weight (gms/m <sup>2</sup> )	475 (+48 gms)	
Aperture Size (mm x mm)	42 x 42 (± 4 mm)	
Suitable for outdoor use	YES	
Recommended Usage	Everywhere except Sulphur & Halogen containing Atmosphere.	

Aug. '99

**PACKING DETAILS**

Roll per package	One
Type of packing	Polyethylene Bag

**Volume of standard package**

CFT/Package	4.25
Cubic Metre/Package	0.120

**NOTE :**

The company has a procedure of constantly improving the products based on research & feedback. Therefore we reserve the right to change the specifications without prior intimation.